BIBLIOGRAPHY

BIBLIOGRAPHY

- [1] Arbab, B. and Michie D. (1985) "Generating rules from examples." Proceedings of the Ninth International Joint Conference on Artificial Intelligence. pp. 631-633. Los Angeles, CA: Morgan Kaufmann.
- [2] Bayes, T. (1783) "An essay towards solving a problem in the doctrine of chances." Phil. Trans. of the Royal Society 53 (370-418).
- [3] Blumer, A., Ehrenfeucht, A., Haussler, D., and Warmuth, M. (1987) "Occam's Razor." *Information Processing Letters* 24. pp. 377-380. North-Holland.
- [4] Blum, A. and Rivest, R.L. (1988) "Training a 3-node neural network is NP-Complete." Proceedings of First ACM Workshop on Computational Learning Theory, pp. 9-18. Cambridge, MA.
- [5] Breiman, L., Friedman, J.H., Olshen, R.A., and Stone, C.J. (1984) Classification and Regression Trees. Monterey, CA: Wadsworth & Brooks.
- [6] Buchanan, B.G. and Mitchell, T.M. (1978) "Model-directed learning of production rules." In Waterman, D.A. and Hayes-Roth, F. (Eds.) Pattern-Directed Inference Systems, pp. 297-312. New York: Academic Press.
- [7] Bundy, A., Silver, B., and Plummer, D. (1985) "An analytical comparison of some rule-learning programs." *Artificial Intelligence 27.* pp. 137-181, North Holland: Elsevier Science Publishers.
- [8] Buntine, W.L. (1990) "Myths and legends in learning classification rules." Proc. of the Eighth National Conference on Artificial Intelligence, pp. 736-742, Boston, MA: MIT Press.
- [9] Carbonell, J.G., Michalski, R.S., and Mitchell, T.M. (1983) "An overview of machine learning." In Michalski, R.S., Carbonell, J.G., and Mitchell, T.M. Machine Learning: An Artificial Intelligence Approach. pp. 3-24. Palo Alto, CA: Tioga Publishing Company.
- [10] Cheeseman, P., Kelly, J., Self, M., Stutz, J., Taylor, W., and Freeman, D. (1988) "Autoclass: A Bayesian classification system." Proceedings of the Fifth International Conference on Machine Learning, pp. 54-64, Ann Arbor, MI: Morgan Kauffman.

- [11] Cheeseman, P., Self, M., Kelly, J., Taylor, W., Freeman, D. and Stutz, J. (1988) "Bayesian classification." Proceedings of the Seventh National Conference on Artificial Intelligence AAAI-88, pp. 607-6611, Saint Paul, MN: Morgan Kauffman.
- [12] Cheng, J., Fayyad, U.M., Irani, K.B., and Qian, Z. (1988) "Improved decision trees: A generalized version of ID3." *Proceedings of the Fifth International Conference on Machine Learning* (pp. 100-108). Ann Arbor, MI: Morgan Kaufmann.
- [13] Chou, P.A. (1988) Applications of Information Theory to Pattern Recognition and the Design of Decision Trees and Trellises, PhD Thesis, Stanford University.
- [14] Clark, P. and Niblett, T. (1989) "The CN2 induction algorithm." Machine Learning, 3, 261-284.
- [15] Cleaves, D. (1988) "Cognitive biases and corrective techniques: proposals for improving elicitation procedures for knowledge-based systems." In Knowledge Acquisition for Knowledge-Based Systems, Gains, B. and Boose, J. (Eds.) London: Academic Press.
- [16] Cover, T.M. and Hart, P.E. (1967) "Nearest neighbor pattern classification." IEEE Trans. on Information Theory IT-13 (21-27).
- [17] Davis, R. (1982) "Expert systems: Where are we and where do we go from here?" AI Magazine, Vol. 3 (3-22).
- [18] Dejong, G. and Mooney, R. (1986) "Explanation-based learning: An alternative view." *Machine Learning 1, No. 2.* pp. 145-176. Boston: Kluwer Academic Publishers.
- [19] Delgrande, J.P. (1987) "A formal approach to learning from examples." *International Journal of Man-Machine Studies 26.* pp. 123-141. London: Academic Press.
- [20] Dietterich, T.G. and Michalski, R.S. (1983) "A comparative review of selected methods for learning from examples." In Michalski, R.S., Carbonell, J.G., and Mitchell, T.M. Machine Learning: An Artificial Intelligence Approach. pp. 41-82. Palo Alto, CA: Tioga Publishing Company.
- [21] Dietterich, T.G. and Michalski, R.S. (1986) "Learning to predict sequences." In Michalski, R.S., Carbonell, J.G., and Mitchell, T.M. (Eds.) Machine Learning: An Artificial Intelligence Approach, Vol. 2. pp. 63-106. Los Altos, CA: Morgan Kaufmann.
- [22] Fayyad, U.M. and Uthurusamy, R. (1987) "Knowledge Acquisition by Learning from Examples." G.M. Research Report CS-565 Warren, MI: General Motors Research Laboratories.

- [23] Fayyad, U.M., Van Voorhis, K.E., and Wiesmeyer, M.D. (1988) "Learning Control Information in Rule-Based Systems: A Weak Method." The Fourth I.E.E.E. Conference on Artificial Intelligence Applications. pp. 188-194, San Diego, CA: IEEE Computer Society Press.
- [24] Fayyad, U.M., Laird, J.E., and Irani, K.B. (1989) "The Fifth International Conference on Machine Learning." AI Magazine 10:2.
- [25] Fayyad, U.M. and Irani, K.B. (1990) "What should be minimized in a decision tree?" Proceedings of the Eighth National Conference on Artificial Intelligence AAAI-90 (pp. 749-754). Cambridge, MA: MIT Press.
- [26] Fayyad, U.M. and Irani, K.B. (1991) "A Machine Learning Algorithm (GID3*) for Automated Knowledge Acquisition: Improvements and Extensions." General Motors Research Report CS-634. Warren, MI: GM Research Labs.
- [27] Fayyad, U.M. and Irani, K.B. (1991) "On the Handling of Continuous-valued Attributes in Decision Tree generation." *Machine Learning*, in press.
- [28] Feigenbaum, E.A. (1981) "Expert systems in the 1980s." In Bond, A. (Ed.), State of The Art Report on Machine Intelligence. Maidenhead: Pergamon-Infotech.
- [29] Finney, D. J., Latscha, R., Bennett, B. M., Hsu, P., (1963) "Tables for Testing Significance in a 2 × 2 Contingency Table", Cambridge: Cambridge University Press.
- [30] Fisher, R.A. (1936) "The use of multiple measurements in taxonomic problems" *Annual Eugenics*, 7, Part II, 179-188.
- [31] Fisher, D. and Langley, P. (1985) "Approaches to conceptual clustering." Proceedings of the Seventh International Joint Conference on Artificial Intelligence IJCAI-85. pp. 691-697. Los Angeles, CA.
- [32] Fisher, D. (1987) "Improving inference through conceptual clustering." Proceedings of the National Conference on Artificial Intelligence AAAI-87. pp. 461-465. Seattle, WA.
- [33] Fogel, A.J., Owens, A.J., and Walsh, M.J. (1966) Artificial Intelligence through simulated evolution. New York: Wiley.
- [34] Friedrich, G. and Nejdl, W. (1989) "Using domain knowledge to improve inductive learning algorithms for diagnosis." *Proceedings of the Sixth International Workshop on Machine Learning* (pp. 75-77). Ithaca, NY: Morgan Kaufmann.
- [35] Fu, L. and Buchanan, B. (1985) "Learning intermediate concepts in constructing a hierarchical knowledge base." Proceedings of the Ninth International Joint Conference on Artificial Intelligence. pp. 659-666. Los Angeles, CA: Morgan Kaufmann.

- [36] Garey, M.R. and Johnson, D.S. (1979) Computers and Intractability: A Guide to the Theory of NP-Completeness. New York: W.H. Freeman and Company.
- [37] Gelfand, S., Ravishankar, C. and Delp, E. (1991) "An iterative growing and pruning algorithm for classification tree design." *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 13:2 (163-174).
- [38] Goodman, R. and Smyth, P. (1988) "Decision tree design from a communication theory standpoint." *IEEE Transactions on Information Theory* 34:5.
- [39] Goodman, R. and Smyth, P. (1989) "The induction of probabilistic rule sets— The ITRULE algorithm." *Proceedings of the Sixth International Workshop on Machine Learning* (pp. 129-132). Ithaca, NY: Morgan Kaufmann.
- [40] Grefensette, J.J. (1985) Proceedings of an International Conference on genetic Algorithms and their Applications. Pittsburgh, PA: Carnegie-Mellon University.
- [41] Hamming, R.W. (1980) Coding and Information Theory. Englewood Cliffs, NJ: Prentice-Hall.
- [42] Haussler, D. (1987) "Learning conjunctive concepts in structural domains." Proceedings of the National Conference on Artificial Intelligence, AAAI-87. pp. 466-470. Seattle, WA.
- [43] Haussler, D. (1990) "Applying Valiant's learning framework to AI concept-learning problems." In Kodratoff, Y. and Michalski R. (Eds.), Machine Learning: An Artificial Intelligence Approach, Volume III. San Mateo, CA: Morgan Kauffman.
- [44] Hayes-Roth, F., and McDermott, J. (1977) "Knowledge acquisition from structural descriptions." Proceedings of the Fifth International Joint Conference on Artificial Intelligence. pp. 356-362. Cambridge, MA.
- [45] Hayes-Roth, F., and McDermott, J. (1978) "An interference matching technique for inducing abstractions." Communications of the ACM 21:5 (401-411).
- [46] Henrichon, E.G. and Fu, K.S. (1969) "A nonparametric partitioning procedure for pattern classification." *IEEE Trans. on Computers*, C-18:7 (614-624).
- [47] Holland, J.H. (1986) "Escaping Brittleness: The possibilities of general-purpose learning algorithms applied to parallel rule-based systems." In Michalski, R.S., Carbonell, J.G., and Mitchell, T.M. (Eds.) Machine Learning: An Artificial Intelligence Approach, Vol. 2. pp. 593-624. Los Altos, CA: Morgan Kaufmann.
- [48] Hunt, E.B., Marin, J., and P.J. Stone (1966) Experiments In Induction. New York: Academic Press.

- [49] Hyafil, L. and Rivest, R. (1986) "Constructing optimal binary decision trees is NP-complete." *Information Processing Letters*. vol 5, no. 4.
- [50] Irani, K.B. (1968) "A finite memory adaptive pattern recognizer." I.E.E.E. Transactions on Systems Science and Cybernetics SSC-4:1 (2-11).
- [51] Irani, K.B., Cheng, J., Fayyad, U.M., and Qian, Z. (1990) "Applications of Machine Learning Techniques in Semiconductor Manufacturing." Proceedings of The S.P.I.E. Conference on Applications of Artificial Intelligence VIII (pp. 956-965). Bellingham, WA: SPIE: The International Society for Optical Engineers.
- [52] Irani, K.B., Cheng, J., Fayyad, U.M., and Qian, Z. (1991) "Machine Learning of Expert System Rules: Applications to Semiconductor Manufacturing." Submitted to *IEEE Expert*, March, 1991.
- [53] Irani, K.B., Cheng, J., Fayyad, U.M. and Qian, Z. (1991) "A Machine Learning Approach to Diagnosis and Control with Applications in Semiconductor Manufacturing.." A chapter in *Intelligent Modeling, Diagnosis, and Control of Manufacturing Processes*. B. Chu and S. Chen (Eds). World Scientific Publishing.
- [54] Knuth, (1973) The Art of Computer Programming, Volume 1: Funadamental Algorithms. Reading, MA: Addison-Wesley.
- [55] Kearns, M., Li, M., Pitt, L. and Valiant, L.G. (1987) "Recent results on boolean concept learning." Fourth Workshop on Machine Learning. pp. 337-352. Irvine, CA.
- [56] Kesavan, H.K. and Kapur, J.N. (1989) "The generalized maximum entropy principle." *IEEE Transactions on Systems, Man, and Cybernetics*, 19:5 (1042-1052).
- [57] Kononenko, I., Bratko, I., and Roskar, E. (1984) "Experiments in automatic learning of medical diagnostic rules." *Technical Report*, Ljubljana, Yugoslavia: Josef Stefan Institute.
- [58] Laird, J.E., Rosenbloom, P.S. and Newell, A. (1986) "Chunking in Soar: The anatomy of a general learning algorithm." *Machine Learning* 1:1 (11-46).
- [59] Lebowitz, M. (1987) "Experiments with Incremental Concept Formation: UNIMEM." *Machine Learning 2, No. 2.* pp. 103-138. Boston: Kluwer Academic Publishers.
- [60] Lenat, D.B. (1983) "The role of heuristics in learning by discovery: Three case studies." In Michalski, R.S., Carbonell, J.G., and Mitchell, T.M. Machine Learning: An Artificial Intelligence Approach. pp. 243-306. Palo Alto, CA: Tioga Publishing Company.

- [61] Lewis, P.M. (1962) "The characteristic selection problem in recognition systems." IRE Transactions on Information Theory, IT-8, 171-178.
- [62] Lin, J.H. and Vitter, J.S. (1991) "Complexity results on learning by Neural Nets." *Machine Learning* 6:3 (211-230).
- [63] Lindsay, R.K., Buchanan, B.G., Feigenbaum, E.A. and Lederberg, J. (1980) Applications of Artificial Intelligence for Organic Chemistry: The Dendral Project. New York: McGraw-Hill.
- [64] Luenberger, D.G. (1973) Introduction to Linear and Nonlinear Programming. Reading, MA: Addison-Wesley.
- [65] Manago, M. (1989) "knowledge intensive induction." Proceedings of the Sixth International Workshop on Machine Learning (pp. 151-155). Ithaca, NY: Morgan Kaufmann.
- [66] McClelland, J.L., Rumelhart, D.E., and the PDP Research Group (1986) Parallel Distributed Processing. Cambridge, MA: The MIT Press.
- [67] Melsa, J.L. and Cohn, D.L. (1978) Decision and Estimation Theory. New York: McGraw-Hill.
- [68] Michalski, R.S. (1983) "A theory and methodology of inductive learning." In Michalski, R.S., Carbonell, J.G., and Mitchell, T.M. Machine Learning: An Artificial Intelligence Approach. pp. 83-134. Palo Alto, CA: Tioga Publishing Company.
- [69] Michalski, R.S., and Chilausky, R.L. (1980) "Learning by being told and learning from examples: An experimental comparison of the two methods of knowledge acquisition in the context of developing an expert system for soybean disease diagnosis." *International Journal of Policy Analysis and Information Systems* 4, pp. 125-161.
- [70] Michalski, R.S. (1978) "Pattern recognition and knowledge-guided computer induction." *UIUCDCS-R-28-927*. Urbana-Champaign: Dept. of Computer Science, University of Illinois.
- [71] Michalski, R.S. and Larson, J.B. (1978) "Selection of most representative training examples and incremental generation of VL1 hypotheses: The underlying and the description of programs ESEL and AQ11." Report No. 867. Computer Science Dept., University of Illinois, Urbana.
- [72] Michalski, R.S. and Stepp, R. (1982) "Revealing conceptual structure in data by inductive inference." In Hayes, J.E., Michie, D., and Pao, Y-H. (Eds.) Machine Intelligence 10. pp. 173-196. Chichester: Ellis Horwood.

- [73] Michalski, R. and Stepp, R. (1983) "Automated construction of clasifications: Conceptual clustering versus numerical taxonomy." *IEEE Transactions on Pattern Analysis and Machine Intelligence* 5,4. pp. 369-409.
- [74] Michalski, R.S. and Stepp, R.E. (1983) "Learning from observation: Conceptual clustering." In Michalski, R.S., Carbonell, J.G., and Mitchell, T.M. Machine Learning: An Artificial Intelligence Approach. pp. 331-364. Palo Alto, CA: Tioga Publishing Company.
- [75] Michalski, R.S. (1983) "A theory and methodology of inductive learning." In Michalski, R.S., Carbonell, J.G., and Mitchell, T.M. Machine Learning: An Artificial Intelligence Approach. pp. 83-134. Palo Alto, CA: Tioga Publishing Company.
- [76] Michie, D. (1979) Expert Systems in the Micro Electronic Age. Edinburgh: Edinburgh University Press.
- [77] Mingers, J. (1989) "An empirical comparison of selection measures for decision-tree induction." *Machine Learning* 3:4 (319-342).
- [78] Minsky, M.L. and Papert, S. (1969) Perceptrons; an introduction to computational geometry. Cambridge, MA: MIT Press.
- [79] Mitchell, T.M., Utgoff, P.E., and Banerji, R. (1983) "Learning by experimentation: Acquiring and refining problem-solving heuristics." In Michalski, R.S., Carbonell, J.G., and Mitchell, T.M. (Eds.) Machine Learning: An Artificial Intelligence Approach. pp. 163-190. Los Altos, CA: Morgan Kaufmann.
- [80] Mitchell, T.M., Keller, R.M., and Kedar-Cabelli, S.T. (1986) "Explanation-based generalization: A unifying view." Machine Learning 1, No. 1. pp. 47-80. Boston: Kluwer Academic Publishers.
- [81] Mitchell, T.M., Utgoff, P.E., and Banerji, R. (1983) "Learning by experimentation: Acquiring and refining problem-solving heuristics." In Michalski, R.S., Carbonell, J.G., and Mitchell, T.M. (Eds.) Machine Learning: An Artificial Intelligence Approach. pp. 163-190. Los Altos, CA: Morgan Kaufmann.
- [82] Birnbaum, L. and Collins G. (Eds.) (1991) Proceedings of the Eighth International Workshop on Machine Learning. San Mateo, CA: Morgan Kaufmann.
- [83] Mozetic, I. (1986) "Knowledge extraction through learning by examples." In Mitchell, T.M., Carbonell, J.G., and Michalski, R.S. Machine Learning: A Guide to Current Research. pp. 227-231. Boston: Kluwer Academic Publishers.
- [84] Nicolino, J. and Jackson, D. (1990) "Comparative review of knowledge engineering and inductive learning using data in a medical domain." Proceedings of The S.P.I.E. Conference on Applications of Artificial Intelligence VIII (pp. 671-679). Bellingham, WA: SPIE: The International Society for Optical Engineers.

- [85] Patrick, Edward A. (1972) Fundamentals of Pattern Recognition. Englewood Cliffs, NJ: Prentice-Hall.
- [86] Payne, H.J. and Meisel, W.S. (1977) "An algorithm for constructing optimal binary decision trees." IEEE Trans. on Computers C-26:9 (905-916).
- [87] Pagallo, G. and Haussler, D. (1989) "Two algorithms that learn DNF by discovering relevant features." *Proceedings of the Sixth International Workshop on Machine Learning.* (119-123), Ithaca, NY: Morgan-Kaufmann.
- [88] Pitt, L. and Valiant, L.G. (1988) "Computational limitations on learning from examples." *Journal of ACM*, 35:4 (965-984).
- [89] Qing-Yun, S. and Fu, K.S. (1983) "A method for the design of binary tree classifiers." *Pattern Recognition* 16:6 (593-603).
- [90] Quinlan, J.R. (1982) "Semi-autonomous acquisition of pattern-based knowledge." In Hayes, J.E., Michie, D., and Pao, Y-H. (Eds.), *Machine Intelligence* 10. pp. 159-172. Chichester: Ellis Horwood.
- [91] Quinlan, J.R. (1983) "Learning efficient classification procedures and their application to chess endgames." In Michalski, R.S., Carbonell, J.G., and Mitchell, T.M. Machine Learning: An Artificial Intelligence Approach. pp. 463-482. Palo Alto, CA: Tioga Publishing Company.
- [92] Quinlan, J.R. (1986) "Induction of decision trees." Machine Learning 1, 81-106.
- [93] Quinlan, J.R. (1987) "Generating production rules from decision trees". Proc. of the Tenth Int. Conf. on Artificial Intelligence: IJCAI-87. pp. 304-307. Milan, Italy: Morgan Kaufmann.
- [94] Quinlan, J.R. and Rivest, R.L. (1989) "Inferring decision trees using the minimum description length principle." Information and Computation, Vol 80, pp. 227-248.
- [95] Quinlan, J.R. (1989) "Unknown attribute values in induction." Proceedings of the Sixth International Workshop on Machine Learning. (164-168), Ithaca, NY: Morgan-Kaufmann.
- [96] Quinlan, J.R. (1990) "Probabilistic decision trees." In Machine Learning: An Artificial Intelligence Approach, Volume III, Y. Kodratoff & R. Michalski (Eds.) San Mateo, CA: Morgan Kaufmann.
- [97] Quinlan, J.R. (1990) "Learning logical definitions from relations." *Machine Learning* 5:3 (239-266).
- [98] Reza, F.M. (1961) An Introduction to Information Theory. New York: McGraw-Hill.

- [99] Rissanen, J. (1978) "Modeling by shortest data description." Automatica, Vol. 14, pp. 465-471.
- [100] Rosenblatt, F. (1962) Principles of neurodynamics: Perceptrons and the theory of brain mechanisms. Washington, D.C.: Spartan Books.
- [101] Rosenbloom, P.S. and Laird, J.E. (1986) "Mapping explanation-based generalization onto Soar." Proceedings of the Fifth National Conference on Artificial Intelligence AAAI-86, pp. 561-567. Philadelphia, PA: Morgan Kaufmann.
- [102] Russell, S.J. and Grosof, B.N. (1987) "A declarative approach to bias in concept learning." Proceedings of the Sixth National Conference on Artificial Intelligence AAAI-87. pp. 505-510. Seattle, WA.
- [103] Samuel, A.L. (1963) "Some studies in machine learning using the game of checkers." In Fiegenbaum, E.A. and Feldman, J. (Eds.) Computers and Thought. New York: McGraw-Hill.
- [104] Schlimmer, J.C. and Granger, R.H. (1986) "Incremental learning form noisy data." *Machine Learning 1, No. 3.* pp. 317-354. Boston: Kluwer Academic Publishers.
- [105] Schlimmer, J.C. (1987) "Learning and representation change." Proceedings of the Sixth National Conference on Artificial Intelligence AAAI-87. pp. 511-515. Seattle, WA.
- [106] Schlimmer, J. and Fisher, D. (1986) "A case study of incremental concept induction." Proceedings of the Fifth National Conference on Artificial Intelligence, AAAI-86. (469-501) Morgan Kaufmann.
- [107] Scott, P.D. (1983) "Learning: The construction of a posteriori knowledge structures." Proceedings of The National Conference on Artificial Intelligence AAAI-83. pp. 359-363.
- [108] Scott, P.D. and Vogt, R.C. (1983) "Knowledge oriented learning.", Proceedings of the Eighth International Joint Conference on Artificial Intelligence. Kalsruhe.
- [109] Scott, P.D. and Markovitch, S.M. (1987) "DIDO: A knowledge oriented learning system." Technical report in preparation. Ann Arbor: CSMIL, The University of Michigan.
- [110] Sethi, I.K. and Chaterjee, B. (1977) "Efficient decision tree design for discrete variable pattern recognition problems." *Pattern Recognition* vol. 9 (197-206).
- [111] Sethi, I.K. and Sarvarayudu, P.R. (1982) "Heirarchical classifier design using mutual information." *IEEE Trans. on Pattern Analysis and Machine Intelligence*, PAMI-4:4 (163-174).

- [112] Shannon, C.E. and Weaver, W. (1949) The Mathematical Theory of Communication. University of Illinois Press.
- [113] Simon, H.A. (1983) "Why should machines learn?" In Michalski, R.S., Carbonell, J.G., and Mitchell, T.M. (Eds.) *Machine Learning: An Artificial Intelligence Approach*. pp. 25-33. Los Altos, CA: Morgan Kaufmann.
- [114] Sklansky, J. and Michelotti, L. (1980) "Locally trained piecewise linear classifiers." *IEEE Trans. on Pattern Analysis and Machine Intelligence PAMI-2:3* (101-111).
- [115] Smyth, P. and Goodman, R.M. (1991) "An information theoretic approach to rule induction from databases." *IEEE Transactions on Knowledge and Data Engineering*, to appear.
- [116] Spackman, K. (1988) "Learning categorical decision criteria in biomedical domains." Proceedings of the Fifth International Conference on Machine Learning (pp. 36-46). Ann Arbor, MI: Morgan Kaufmann.
- [117] Spangler, S., Fayyad, U.M., and Uthurusamy, R. (1989) "Induction of decision trees from inconclusive data." *Proceedings of the Sixth International Workshop on Machine Learning.* pp. 146-150. Ithaca, NY.
- [118] Stanfill, C. and Waltz, D. (1986) "Toward memory-based reasoning." Communications of the ACM, 29:12 (1213-1228).
- [119] Stepp, R.E. and Michalski, R.S. (1986) "Conceptual clustering: Inventing goal-oriented classifications of clustered objects." In Michalski, R.S., Carbonell, J.G., and Mitchell, T.M. (Eds.) Machine Learning: An Artificial Intelligence Approach, Vol. 2. pp. 471-498. Los Altos, CA: Morgan Kaufmann.
- [120] Sutter, M.T. and Zeldin, P.E. (1988) "Designing expert systems for real-time diagnosis of self-correcting networks." IEEE Network, 9/88.
- [121] Tsypkin, Y.Z. (1973) Foundations of the theory of learning systems. New York: Academic Press.
- [122] Utgoff, P.E. and Mitchell, T.M. (1982) "Acquisition of appropriate bias for inductive concept learning." *Proceedings of the National Conference on Artificial Intelligence AAAI-82.* pp. 414-417. Pittsburgh, PA.
- [123] Utgoff, P. (1988) Proceedings of the Fifth International Conference on Machine Learning (pp. 107-120). Ann Arbor, MI: Morgan Kaufmann.
- [124] Utgoff, P.E. (1986) "Shift of bias for inductive concept learning." In Michalski, R.S., Carbonell, J.G., and Mitchell, T.M. (Eds.) Machine Learning: An Artificial Intelligence Approach, Vol. 2. pp. 107-148. Los Altos, CA: Morgan Kaufmann.

- [125] Uthurusamy, R., Fayyad, U.M., and Spangler, S. (1991) "Learning useful rules from inconclusive data." A Chapter in *Knowledge Discovery in Databases*, G. Piatetsky-Shapiro and W. Frawley (Eds.) Palo Alto, CA: AAAI Press.
- [126] Valiant, L.G. (1984) "A theory of the learnable." Communications of the ACM 27:11 (1134-1142).
- [127] Valiant, L.G. (1985) "Learning disjunctions of conjunctions." Proceedings of the Ninth International Conference on Artificial Intelligence. pp. 560-566. Los Angeles, CA.
- [128] Vere, S.A. (1975) "Induction of concepts in the predicate calculus." Proc. of the Fourth International Joint Conference on Artificial Intelligence, pp. 281-287, Tbilisi, USSR: IJCAI.
- [129] Vere, S.A. (1978) "Inductive learning of relational productions." In Waterman, D.A. and Hayes-Roth, F. (Eds.) *Pattern-Directed Inference Systems*, pp. 281-296. New York: Academic Press.
- [130] Wallace, C.S. and Patrick, J.D. (1991) "Coding Decision Trees." *Technical Report 151*, Melbourne, Australia: Monash University.
- [131] Watanabe, S. (1981) "Pattern recognition as a quest for minimum entropy." Pattern Recognition 13:5 (381-387).
- [132] Watanabe, S. (1985) Pattern Recognition: Human and Mechanical. New York: John Wiley and Sons.
- [133] Winston, P. (1970) Learning Structural Descriptions from Examples. Ph.D. dissertation, Cambridge, MA: MIT.
- [134] Winston, P.H. (1975) "Learning structural descriptions from examples." In Winston, P.H. (Ed.) The Psychology of Computer Vision. McGraw-Hill.
- [135] Wirth, J. and Catlett, J. (1988) "Experiments on the costs and benefits of windowing in ID3." Proceedings of the Fifth International Conference on Machine Learning (pp. 87-99). Ann Arbor, MI: Morgan Kaufmann.
- [136] Yovits, M.C., Jacobi, G.T., and Goldstein, G.D. (1962) Self-organizing Systems. Washington, D.C.: Spartan Books.